Day: Sunday Date: 2/17/2008

Time: 10:48:57

PALMINTRANET

Inventor Name Search Result

Your Search was:

Last Name = PETTENDORF

First Name = HARTMUT

Application#	Patent#	Status	Date Filed	Titlé	Inventor Name
10517462	Not	30	06/08/2005	Generation of orthogonal codes	PETTENDORF, HARTMUT
	Issued				HARTMUT

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name First Name
PETTENDORF HARTMUT Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

PALM INTRANET

Day: Sunday Date: 2/17/2008

Time: 10:49:13

Inventor Name Search Result

Your Search was:

Last Name = FAULHABER

First Name = PAUL

Ap	plication#	Patent#	Status	Date Filed	Title	Inventor Name
10	0517462	Not Issued	30	06/08/2005	Generation of orthogonal codes	FAULHABER, PAUL

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	
Scarch Another. Inventor	FAULHABER	PAUL .	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6084884".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 14:03
S2	194	orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 14:22
S3	186	S2 and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 14:23
S4	16	S3 and (SF or spreading factor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2008/02/13 14:24
S5	2	S4 and (index k)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 14:25
S6	<u>,</u> 5	S3 and (SF or spreading factor with index k)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 14:44
S7	0	orthogonal variable code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 15:05

58	1	(orthogonal code generator) with (SF or spreading factor) with (index k)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 15:07
S9	1	S8 and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2008/02/13 15:08
S10		(orthogonal code generator) with (SF or spreading factor) and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 15:09
S11	0	S4 and (SF range)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 15:39
S12	. 0	S4 and ((SF maximum) or (SF minimum))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 15:40
S13	23	S4 and (SF maximum) or (SF minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 15:41
S14	4	S3 and (SF or (spreading factor) with (variable range))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF .	2008/02/13 15:51

<u> </u>			T			
S15	1826123	S4 and maximum minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 16:28
S16	12	S4 and (maximum minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/13 16:28
S17	0	S3 and (maximum SF)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 16:56
S18	1	S3 and (maximum spreading factor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 16:56
S19		S3 and ((maximum or minimum) near3 (spreading factor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 16:58
S20	4	S3 and logic unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:39
S21	4	S3 and (logic unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:55

S22	2	S3 and logic unit same counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:56
S23	5	orthogonal code generator with counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:58
S24	5	S23 and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/13 17:58
S25 .	3984751	orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 08:49
S26	194	orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF .	2008/02/14 08:49
S27	186	S26 and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2008/02/14 08:49
S28		S27 and shift register .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 08:50

				r	<u> </u>	
S29	0	S28 and store index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 08:51
S30	0	S28 and index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 08:51
S31		S27 and pemutation unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2008/02/14 09:41
S32	0	S27 and pemutation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 09:41
S33		S27 and index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 09:42
S34	0	S33 and shift register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 09:44
S35		S33 and permuta\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 09:44

	· · · · · · · · · · · · · · · · · · ·			·		
S36	0	S33 and shift register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 10:48
S37	0	S27 and permuta\$3 unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 11:36
S38	75668	CDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 11:37
539		S38 and permuta\$3 unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 11:38
S40	133	S38 and permuta\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 11:38
S41	110	S40 and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/14 11:39
S42		p orthogonal code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 08:33

			<u> </u>			
S43		S42 and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 08:33
S44	3984751	orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 11:00
S45	194	orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:01
S46	186	S45 and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:01
S47	0	S46 and reagable medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:02
S48	3	S46 and computer program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF .	2008/02/15 11:04
S49	0	S46 and reagable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2008/02/15 11:06

	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	·	Ţ	· · · · · · · · · · · · · · · · · · ·
S50		S46 and readable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:07
S51	2714601	S46 and computer product or sotware or code or readable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:20
S52	186	S46 and ((computer product) or sotware or code or (readable media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:21
S53	2714601	S46 and (computer product) or sotware or code or (readable media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:21
S54	186	S46 and (computer product or sotware or code or readable media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:21
S55		S46 and omputer product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:22
S56	0	S46 and computer product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:22

	,					
S57	3	S46 and computer program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:22
S58	2714588	S46 and sotware or code or readable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:23
S59	186	S46 and ((computer adj program) or sotware or code or (readable adj media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 11:24
S60	4	S46 and ((computer adj program) or sotware or (readable adj media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 11:25
S61	2	S46 and index conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:29
S62	0	S46 and index conver\$4 with multiplica\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:31
S63	. 1	S46 and index k with spread\$3 factor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 11:33

S64	5736844	shift register near4 store\$3 near4 index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 12:55
S65	1	shift register near4 store\$3 near4 index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 12:56
S66		shift register near4 (store\$3 or receiv\$3) near4 index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 12:57
S67	1	shift register near4 (store\$3 or receiv\$3 or shift\$3) near4 index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 12:57
S68	16	shift register with index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 12:57
S69	13	S68 and @ad<"20050608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 12:58
S70	3984751	orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 16:38

	7					
S71	194	orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 16:38
S72	194	orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 16:39
S73	136	S72 and @ad<"20020621"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 16:39
S74	136	S71 and @ad<"20020621"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 16:39
S75	8	S74 and (SF or spreading factor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 16:40
S76	1	S75 and (index k)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 16:40
S77	5742261	shift register with index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 16:58

				*		
S78	16	shift register with index k	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 16:58
S79		S78 and @ad<"20020621"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 16:59
S80	2	p orthogonal code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:12
S81	0	p orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:14
S82	67	p code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:14
S83	53	S82 and @ad<"20020621"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:14
S84	0	S83 and orthogonal code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2008/02/15 17:15

	····			,		
S85	3	S83 and orthogonal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:16
S86	337614	((computer adj program) or sotware or (readable adj media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 17:24
S87	0	S73 and ((computer adj program) or sotware or (readable adj media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 17:27
S88	0	S73 and (computer program or sotware or eadable media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:28
S89	53	S73 and computer program or sotware or eadable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:29
S90	0	S73 and eadable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:30
S91	0	S83 and ((computer adj program) or sotware or (readable adj media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 17:52

S92	0	S83 and (computer program or sotware or eadable media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	ADJ	OFF	2008/02/15 17:52
S93	18070	code generator	IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2008/02/15 17:53
S94	12927	S93 and @ad<"20020621"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:53
S95	1115	S94 and ((computer adj program) or sotware or (readable adj media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 17:54
S96	2690131	S95 and orthogonal code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 17:55
S97	10	S95 and orthogonal code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 17:55
S98	2	code generator with counter with logic unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 18:05

S99	7	dong near2 hee near2 kang.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 18:14
S10 0		S74 and logic unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 18:22
S10 1	0	orthogonal code generator device with logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 18:26
S10 2	2	S73 and orthogonal code generator with logic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 18:27
S10 3	. 0	S73 and orthogonal code generator with logic with counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2008/02/15 18:28
S10 4	2	S74 and logic gate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 18:31
S10 5	16	S73 and counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 18:32

S10	16717	wireless system	US-PGPUB;	ADJ	OFF	2008/02/15 19:19
6	10/1/	31350 0/000111	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		0.1	2000, 02, 13 13.13
S10 7	4	S106 and orthogonal code generator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 19:20
S10 8	1	S107 and readable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 19:21
S10 9	136	S106 and orthogonal code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 19:21
S11 0		S109 and readable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 19:22
S11 1	1	S110 and @ad<"20020621"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 19:22
S11 2	8	S109 and hadamard code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 19:24

S11 3	4	S112 and @ad<"20020621"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 19:24
S11 4	0	S113 and readable media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ -	OFF	2008/02/15 19:24
S11 5	1	S113 and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/15 19:25